

ADVANCED SERIES MONOCHROME DOCUMENT SYSTEMS









The new Sharp Advanced Series monochrome workgroup document systems deliver high productivity and strong versatility.

POWERFUL PERFORMANCE WITH EXCEPTIONAL IMAGE QUALITY

The MX-M365N, MX-M465N and MX-M565N monochrome document systems offer powerful multitasking workflow features and exceptional image quality at speeds up to 56 pages-per-minute. Designed for busy workgroup environments, these models combine a versatile modular design with tablet-style menu navigation and powerful output capabilities that can help virtually any office accomplish more in less time. **Key Features** Standard out-of-box wireless networking and true Adobe® PostScript® 3™ network printing offer enhanced compatibility with today's modern office environments High-capacity tandem paper drawer and productive inner finisher options provide high functionality in a compact footprint Supports Cloud Portal Office, a new content management software service from Sharp for storing and sharing scanned documents and other electronic files

The new MX-M365N, MX-M465N and MX-M565N monochrome document systems have been built on the Sharp OSA® development platform, making integration with network applications and cloud services easier than ever. And with Sharp's enhanced security platform, which

includes standard 256-bit data encryption and overwrite protection, you can rest assured that

your intellectual property is well protected.

DESIGNED TO DELIVER PERFORMANCE AND PRODUCTIVITY



STANDARD WIRELESS NETWORKING

TRUE ADOBE
POSTSCRIPT PRINTING

AVAILABLE TANDEM PAPER DRAWER AND COMPACT INNER FINISHER An advanced design plus multi-functional capability allow you to meet tomorrow's document needs today.

- 500 + 2,000-sheet tandem paper drawer option expands maximum online paper capacity to 6,600 sheets
- Flexible paper handling system feeds up to 80 lb. cover through the paper trays and up to 110 lb. cover through the bypass tray
- Scan both sides of a document in a single pass at up to 170 images per minute (IPM) with the standard 150-sheet duplexing document feeder
- Large 10.1" (diagonally measured) **tablet-style touch-screen display** offers **image preview** feature with flick, tap and slide navigation, and pinch-and-zoom capability



- Fully customizable home screen enables users to add custom backgrounds and icons, change the display language and more
- Available Compact PDF feature dramatically reduces the file size of scanned color documents, resulting in decreased network traffic and more efficient use of disk and cloud storage
- Full-size, retractable keyboard allows quick and easy data entry
- 1200 x 1200 dpi printing provides clear, crisp images even on jobs with fine detail
- Network ready PCL® 6 and Adobe PostScript 3 printing systems with direct print function
- Standard wireless networking feature can connect directly to your network or to mobile
 devices for convenient printing and scanning with Sharpdesk® Mobile App
- Supports Sharp's enhanced security platform with standard 256-bit data encryption, up to 7 times overwrite protection, and convenient End-of-Lease feature



INNOVATIVE FEATURES TO ENHANCE YOUR WORKFLOW



Built-in wireless NIC offers a point-to-point mode for convenient scanning and printing from mobile devices.



Available paper capacity stores up to 6,600 sheets.



Work more efficiently and collaborate more easily with Cloud Portal Office.

A flexible design from paper handling to networking – the MX-M365N/M465N/M565N Advanced Series monochrome document systems will exceed your expectations.

Standard Wireless Networking for Today's Contemporary Office Environments

The MX-M365N/M465N/M565N Advanced Series offers several secure methods to connect to your network environment. You can choose a traditional wired Ethernet connection or you can use the **built-in wireless NIC** to connect to a wireless network. For environments that use a wired connection but would like to also provide scanning and printing to mobile users, the Sharp wireless NIC can be configured in a **Point-to-Point mode**. This convenient feature enables users to scan or print directly to the machine using **Sharpdesk Mobile**, a free downloadable App available for most common mobile devices.*

Professional Output with True Adobe PostScript 3

The MX-M365N/M465N/M565N Advanced Series offers standard True Adobe PostScript 3 printing, giving you the added assurance that your documents will print exactly as you expect. Custom print drivers provide extensive job control right from your desktop.

Adobe PostScript 3**

Configurations for Virtually Any Size Office or Workgroup

Sharp understands the importance of productivity, which is why the new Advanced Series monochrome document systems offer up to **6,600-sheet paper capacity** and support media types up to 80 lb. cover (220 gsm) through the paper drawers and up to 110 lb. cover (300 gsm) through the bypass tray. For high productivity in small spaces, add the tandem paper drawer, which expands the on-board paper capacity to 3,100 sheets without enlarging the footprint of the machine. For even more productivity in a small space, add the 500-sheet inner finisher. For advanced configurations, a **3,500-sheet** large capacity cassette, as well as a choice of floor-standing saddle-stitch finishers are also available.

Connect Your Workforce with Cloud Portal Office and Collaborate More Easily

Cloud Portal Office is a comprehensive document storage and sharing service that provides a convenient way to **seamlessly connect to your business content** and easily **share and collaborate** with team members. You can also capture, index and archive both paper and electronic documents in a single repository. Most importantly, IT administrators can **manage and control user access** in order to safeguard company data.



^{*}Go to www.sharpusa.com for a list of supported operating systems.

The MX-M365N/M465N/M565N Advanced Series monochrome document systems utilize a powerful multi-processor controller designed to quickly execute complex print and copy jobs at speeds up to 56 ppm.

versatile design

Easy-to-Use Smart Touch-Screen 10.1" high-resolution LCD offers advanced menu features including flick, tap, slide, pinch and zoom.* Duplexing Single Pass Feeder (DSPF)
Standard 150-sheet dual head
document feeder scans both sides of
a document in a single pass.

Advanced Network Scanning
Sharp's ImageSEND™ feature
provides one-touch document
distribution to multiple destinations.

High Quality Printing
1200 x 1200 dpi resolution
produces razor-sharp documents.
True Adobe PostScript drivers
offer extensive job control.

Built-in Retractable KeyboardFull size QWERTY keyboard
enables easy data entry.

In-line Stapling
Produce professional-looking
corner-staple or edge-staple
documents up to 50 pages.

Saddle-Stitch Finisher Make high quality saddle-stitch booklets up to 60 pages.



100-Sheet Multi-Bypass
Feeds paper from 5-1/2" x 8-1/2" to 12" x 18" and media up to 110 lb. cover (300 gsm).

Enhanced Security Features 256-bit data encryption and data overwrite, as well as Sharp's convenient End-of-Lease feature.

On-board Document Storage Sharp's easy-to-use Document Filing System enables users to store frequently used files.



The MX-M565N shown with compact inner finisher.

Advanced Finishing

Sharp gives you a choice of four high-performance finishers to give your documents a professional look. Choose from a compact inner finisher to a high capacity, floor-standing saddle-stitch finisher.

Flexible Paper Handling

Offers a variety of paper feed options, including a 500 + 2,000-sheet tandem paper drawer for high productivity.

Large Capacity Cassette

Available large capacity cassette adds an additional 3,500 sheets of letter paper for a total on-line capacity of 6,600 sheets with options.

GET MORE OUT OF NETWORK RESOURCES



Streamline your document workflow and enhance productivity with Sharp OSA technology.

Integrating with Network Applications and Cloud Services Has Never Been So Easy

With standard Application Communication and External Accounting modules, the MX-M365N/M465N/M565N Advanced Series offers **enhanced document workflow capabilities** to help businesses leverage their network infrastructure, cloud-enabled services and more.* While others are limited to a small circle of productivity, the Sharp OSA development platform allows businesses to leverage the power of their network applications, back-end systems, even cloud-enabled services, right from the touch-screen panel of this new series.

Save Time, Increase Efficiency

You'll save time and increase the efficiency of everyday tasks with Sharp OSA technology because it can be virtually seamless to the user. Any MX-M365N/M465N/M565N anywhere in the organization can display choices that were once only available on a desktop PC. With **one-touch access** to business applications via Sharp OSA integration, you can start and finish a document distribution task without worry.

*Some features require optional equipment and/or software/services.

Customized Integration

Sharp OSA technology also provides **powerful customization**. With the ability to personalize applications and processes specific to your business, Sharp OSA technology can help eliminate redundancy and **streamline workflow**, helping to save time and **optimize productivity**. The latest version of Sharp OSA technology can reach beyond the firewall, enabling cloud-based applications over the Internet. And since Sharp OSA technology utilizes industry-standard network protocols such as SOAP and XHTML, third party software developers can deliver customized solutions to your business faster than ever.

The Convenience You Want with the Security You Need

The MX-M365N/M465N/M565N Advanced Series with the Sharp OSA development platform is the logical choice for providing fast, **flexible access to documents and applications...**no matter where you are in the office. You also get the controlled access and tracking ability you require with tighter integration capabilities for network security and accounting applications.

ADVANCED DEVICE MANAGEMENT TOOLS MAXIMIZE EFFICIENCY

The MX-M365N/M465N/M565N monochrome series document systems enhance operational efficiency through versatile device management capabilities.

Sharp Remote Device Manager (SRDM)

Make management of your MX-M365N/M465N/M565N simple and straightforward with Sharp Remote Device Manager (SRDM). This easy-to-use software allows you to take control of the versatile system features and simplifies installation and management.

- With Printer Status Monitor, network users can view printer conditions, check paper levels, toner, and more, all through an easy-to-use interface.
- With Sharp Remote Device Manager, administrators can easily manage the setup, configuration, device settings, cloning and more. Advanced features such as Remote Front Panel allow administrators and support personnel to view and control the LCD panel of the machine remotely from virtually any PC on the network. Plus, with event-driven, real-time service alerts, administrators and supervisors can achieve higher productivity. Now it is easier than ever to view service logs, click counts, history reports and more.
- Experience the convenience of an Embedded Web Page right from your desktop. This advanced web-based management tool allows users to create and manage their own network scanning destinations, profiles and web links. Administrators can access device settings, quality control, account information and security settings.

Take Charge of Usage and Costs

With Sharp's device management system, administrators and supervisors can **define user groups** on the MX-M365N/M465N/M565N to manage and restrict features, such as copying, scanning or printing. Easily set up a custom user group to manage page counts (copy, print, scan or fax operations). This helps to simplify cost management of imaging. The MX-M365N/M465N/M565N can store profiles for up to 1,000 users.

24/7 Training with My Sharp™

Managing all of the advanced features of your Sharp product is simple and easy. Ask your Authorized Sharp Dealer about the **My Sharp** website. This dedicated customer training website is customized to your MX-M365N/M465N/M565N and allows you to locate resources and find information specific to your configuration, truly helping you maximize your investment.



Standard retractable keyboard simplifies data entry.

HEIGHTENED SECURITY HELPS PROTECT YOUR BUSINESS



To help protect your data, the MX-M365N/M465N/M565N offers several layers of **standard security**, making Sharp the optimum choice to help protect employees' privacy and intellectual property. As a leader in office equipment security, Sharp makes it easy for virtually any business or government entity to safely deploy digital copying, printing, scanning and faxing.

Authority Groups

Advanced account management enables administrators to set authority groups for access to features of the MX-M365N/M465N/M565N. Administrators can control which department, for instance, has full access to copying, printing, scanning and/or fax. Walk-up users enter a Code, Local Name and Password, or LDAP User Authentication to access the features assigned to their group.

Data Overwrite and Encryption

To help protect your data, the MX-M365N/M465N/M565N can encrypt document data using **AES** (Advanced Encryption Standard) **256-bit encryption**. The MX-M365N/M465N/M565N can also erase the temporary memory on the hard drive by overwriting the encrypted data up to seven times, offering a heightened level of assurance. A convenient **End-of-Lease** feature overwrites all data, including document filing, user data, job status, date and address book.

Network Scanning Access Control

To help protect your network from unauthorized E-mail communications, the MX-M365N/M465N/M565N supports **User Authentication**, requiring users to login before performing any network scanning operations.

Control Device Access Over the Network

To help restrict access to the device over the network, the MX-M365N/M465N/M565N offers IPsec, SMB and extended support for **SSL Encryption** (Secure Sockets Layer), **IP/MAC address** filtering, IEEE 802.1x authentication, protocol enable/disable and port management for maximum security.

*Some features require optional equipment and/or software.

Documents Remain Confidential

The MX-M365N/M465N/M565N offers **Confidential Printing**, which when used, requires users to enter a PIN code in order to print a queued document. To help protect your direct-print documents from unauthorized viewing, the MX-M365N/M465N/M565N offers encrypted PDF printing and scanning. Additionally, **Secure Fax Release** ensures received fax documents are held in memory until an authorized user enters a PIN code, so that compliance with healthcare regulations such as the Health Insurance Portability and Accountability Act (HIPAA) is easier.

Tracking and Auditing Information

Legislation and industry policies require companies to be more aware of information flow from their offices. Sharp offers both built-in and additional hardware/software, which allows users to control, access and track usage of each device on the network.*

Data Security Kit (Optional)

For maximum protection, the optional data security kit offers additional features, such as Data Overwrite On-demand and at Power Up, Document Filing access control, Restricted Status Display and List Printing.

These scalable security offerings aim to protect your intellectual property, preserve confidential information and help your business meet regulatory requirements such as HIPAA and the Gramm-Leach-Bliley Act (GLB). For additional information visit: www.sharpusa.com/security.











An Environmentally Responsible Approach to Product Design

The MX-M365N/M465N/M565N utilizes Sharp's advanced micro-fine toner technology, which offers a lower consumption rate and produces less waste than conventional toners, resulting in longer replacement intervals. Sharp supplies are packaged using fully recyclable materials. Long-life consumable parts help minimize service intervals and down time, resulting in lower operating costs. With two different energy saving modes, power can be reduced or shut off at set intervals. The MX-M365N/M465N/M565N document systems are ENERGY STAR® qualified and RoHS compliant to restrict the use of hazardous substances. Sharp MFPs are EPEAT® registered.

Toner Recycling Program

As part of our commitment to helping preserve the environment, Sharp offers our customers zero-waste-to-landfill recycling for Sharp consumables, including cartridges, bottles, toner collection containers and drum units. Sharp encourages customers to recycle their used Sharp toner cartridges in bulk by providing a pre-paid Recycling Kit for their return to our facility.

Environmental Leadership

As a testament to our commitment to the environment, Sharp is a multi-year winner of the ENERGY STAR annual Excellence in Energy Proficiency Product Design. Sharp is also a multi-year winner of the SmartWay® Excellence Award, which recognizes companies for conserving energy and lowering greenhouse gas emissions in logistics and transportation. Sharp was also a previous recipient of the Excellence in Partnership Green Contractor Award and the Evergreen Award from the General Services Administration (GSA) and the Coalition for Government Procurement. These awards recognize environmentally responsible businesses and their efforts on recycling, waste reduction and affirmative procurement practices.

Global Initiatives

Sharp is committed to environmental sustainability and corporate responsibility including planning, design, manufacturing, distribution and product end-of-life management. For more information about Sharp's environmental leadership including information about energy efficient products, electronics or toner cartridge recycling, please visit www.sharpusa.com/environment.

MX-M365N/M465N/M565N SPECIFICATIONS

| Main Specification | | Network Printing S | | 1K Saddle Stitch F | |
|---|--|--|---|--|---|
| MX-M365N/ | Base models include multitasking controller, 150-sheet DSPF, | PDL | Standard PCL® 6, true Adobe® PostScript® 3™, optional XPS | Туре | Console finisher with dual exit trays (mounts on left side |
| 1465N/M565N | PCL®6 and PostScript® 3™ printing systems, network scanning, | Resolution | 1200 x 1200 dpi | | of host machine) |
| | auto duplexing, 1 x 500-sheet paper drawer and a 100-sheet | Print Speed | 36/46/56 pages per minute (8½" x 11")2 | Output Trays | Upper tray: Offset stack tray |
| | bypass tray. | Print Drivers | Windows Server® 2003-2008, 2012, Windows XP, Windows | | Lower tray: Book tray for saddle stitch |
| уре | Monochrome multi-function digital document system | | XP x64, Windows Server 2003-2008 x64, 2012 x64 Windows | Output Capacity | 1,000 sheets (letter/statement size) or 500 sheets |
| Display | 10.1" (diagonally measured) color dot matrix high-resolution | | Vista®, Windows Vista® x64, Windows 7, Windows 7 x64, | | (legal, ledger, letter) |
| ., ., | touch panel tilting display. 1024 x 600 dots (W-SVGA). | | Windows 8, Windows 8 x64, MAC OSX (including 10.4-10.8), | Stapling | Up to 50 sheets (letter/statement size) or 25 sheets |
| Functions | Copy, print, network print, network scan, document filing and fax1 | | all MAC PPD | | (legal, ledger or mixed) |
| Copy System | Dry electrostatic transfer/Dual component developer/ | Features | Auto configuration, bar code font printing, carbon copy | Output Delivery | Face down |
| сору зузісні | Magnetic brush development/OPC drums/Belt type fusing/ | i cataros | print, chapter inserts, confidential print, continuous printing, | Stapling Media | Plain paper, letter/legal/ledger size or mixed |
| | | | | | |
| Outedon ala | white LED exposure | | custom image registration, different cover page/last page/ | Stapling Positions | 1 front, 1 rear, or both |
| Originals | Sheets and bound documents | | other page, document control, document filing, duplex printing, | Saddle Stitch | Center stitch/center folding (2 staples) |
| Original Sizes | 5½" x 8½", 8½" x 11", 8½" x 11" R, 8½" x 14", 11" x 17" | | electronic sorting, folding, form overlay, hidden pattern print, | Function | letter/legal/ledger paper sizes |
| Copy Size | Min. 5½" x 8½", Max. 11" x 17" + 12" x 18" | | image rotation, image stamp, image type, job bypass print, | Saddle Stitch | Up to 10 sets (11-15 sheets per set)/15 sets |
| Copy Speed | 36/46/56 ppm (8½" x 11") ² | | job retention, layout print, margin shift, multiple pamphlet, | Max. Sets | (6-10 sheets per set)/20 sets (1-5 sheets per set) |
| Multiple Copy | Max. 999 copies | | network tandem print, N-up printing, offset stacking, page | Power | Approx. 70 W or less |
| First Copy Time | MX-M365N MX-M465N MX-M565N | | interleave, pamphlet style, poster print, proof print, print and | Consumption | |
| Seconds ² | Platen Glass 4.5 3.9 3.7 | | send, print mode, punching, stapling, tab paper print, tab | Hole Punching | Optional three-hole punch unit MX-PNX5B |
| Warm Up Time | 12 seconds ² | | printing, toner save mode, transparency inserts, tray status, | Weight | Approx. 88 lbs. |
| Magnification | 25% to 400% in 1% increments (with document feeder | | user authentication, watermarks, zoom print¹ | Dimensions | Approx. 26" (w) x 25" (d) x 39" (h) (with tray extended) |
| magimioation | 25%-200%) | Direct Printing | File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, PDF/A | Dillionolollo | Typrox. 20 (w) x 20 (d) x 00 (ii) (with thay oxionada) |
| Original Ecod | , | Pilect Fillining | | Inner Einicher / | ion) |
| Original Feed | 150-sheet DSPF with original size detection | | Encrypted PDF, PostScript and XPS.¹ Methods: Sharpdesk Mobile, | Inner Finisher (opt | |
| Scan Speed | Up to 85 IPM ² simplex | | FTP, SMB, Web page, E-mail and USB | Туре | Built-in type stacking finisher |
| | Up to 170 IPM ² duplex | Resident Fonts | 80 outline fonts (PCL), 139 fonts (PS) | Output Tray | Offset stacking tray |
| Paper Capacity | Standard: 600 Sheets/Maximum: 6,600 Sheets | Interface | RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0 | Output Capacity | 500 sheets (letter size, non-stapled) |
| Paper Feed | Standard: (1) 500-sheet paper drawer (letter/legal/ledger/ | Operating Systems | Windows Server 2003-2012, Windows XP, Windows Vista, | Stapling | Three position; Up to 50 sheets (letter/statement) |
| System | statement) and 100-sheet bypass tray (letter/legal/ledger/ | | Windows 7, Windows 8, MAC OS X10.4, X10.5, X10.6, X10.7, | Power | Approx. 50 W |
| oyoto | statement/envelope). Optional: single, double or triple drawer | | X10.8, Novell® Netware® Unix®, Linux® and Citrix® (XenApp 5.0 | Consumption | |
| | paper deck (500 sheets each drawer), tandem paper deck | | 6.0, 6.5) and Windows Terminal Services, SAP device types. ¹ | Hole Punching | Optional three-hole punch unit MX-PN11B |
| | (2,500 sheets) letter/legal/ledger/statement. | Notwork Protocols | TCP/IP (IPv4, IPv6, IPSEC) SSL (HTTP, IPP, FTP), SNMPv3, SMTP, | Weight | Approx. 26.5 lbs. |
| Paper Weights | Paper drawers: 16 lb. bond to 80 lb. cover. Other paper types | NOTWORK I TOTOGOGIS | POP3, LDAP, 802.1x for Windows and Unix. LPD and LPR for | Dimensions | Approx. 24 1/2" (w) x 23 3/8" (d) x 8" (h) (with tray extended) |
| | The state of the s | | | DIIIIGIISIUIIS | Approx. 24 1/2 (w) x 23 3/0 (u) x 0 (ii) (with tray extended, |
| and Types | include plain, pre-printed, recycled, pre-punched, letterhead and | | Unix. IPX/SPX® for Novell environments. EtherTalk®. AppleTalk® | 0 | |
| | color paper. Bypass tray: 16-28 lb. bond (plain paper), 15-16 | | for Macintosh® environments.1 | Optional Equipmer | |
| | lb. bond (thin paper), 80-110 lb. cover (heavy paper), 20-24 | Printing Protocols | LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, P0P3, HTTP, and | MX-DE12 | Stand/1 x 500-sheet Paper Drawer |
| | lb. bond (Monarch/Com-10 envelope), tab paper (letter). Also | | Novell Pserver/Rprinter | MX-DE13 | Stand/2 x 500-sheet Paper Drawer |
| | label paper, gloss paper, pre-printed, recycled, pre-punched, | Network Security | IP/MAC address filtering, protocol filtering, port management, | MX-DE14 | Stand/3 x 500-sheet Paper Drawer |
| | letterhead, color paper and OHP film. | | user authentication and document administration 1 | MX-DE20 | Stand/500 + 2,000-sheet Tandem Paper Drawer |
| Duplexing | Standard automatic duplex copying and printing | Security Standards | IEEE-2600™-2008, DoD (NSTISSP) #11, CAC/PIV access control1 | MX-LT10 | Long Paper Feeding Tray |
| CPU | Up to 1.8 GHz multi-processor design | , | | MX-36ABD | Rolling Cabinet Base |
| Interface | RJ-45 Ethernet (10/100/1000Base-T), USB 2.0 (2 host ports, | Network Scanning | System | MX-LC11 | Large Capacity Tray |
| IIILEITACE | front and rear), USB 2.0 (1 device port, rear) | Scan Modes | Standard: Color, monochrome, grayscale | MX-FN17 | Inner Finisher |
| Mamami | | | | | |
| Memory | Standard 3 GB copy/print (shared) | Optical Resolution | 600 dpi | MX-PN11B | 3 Hole Punch Unit (MX-FN17) |
| Hard Disk Drive | 320 GB | Output Modes | 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi | MX-SCX1 | Staple Cartridge (MX-FN17) |
| Copy Resolution | Scan: B&W/color: 600 x 600 dpi; Copy Output: 1200 x 1200 dpi | Image Formats | Monochrome: TIFF, PDF, PDF/A, Encrypted PDF, XPS | MX-FN10 | 1K Saddle Stitch Finisher |
| Copy Modes | Monochrome/Grayscale | | Color: Grayscale, Color TIFF, JPEG, PDF, PDF/A, Compact PDF, | MX-RB22 | Paper Pass Unit |
| Exposure Control | Auto, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, | | Encrypted PDF, XPS; Internet Fax: TIFF-FX, TIFF-F, TIFF-S1 | | (Required for MX-FN10, MX-FN11 and MX-FN18) |
| Modes | Map, Pale-Color Document. Settings: Auto or 9 step manual | Image | Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR) | MX-PNX5B | 3 Hole Punch Unit (MX-FN10) |
| Halftone | 256 gradations/2 levels (monochrome) | Compression | Color/Grayscale: JPEG (high, middle, low) | AR-SC3 | Staple Cartridge (MX-FN10/FN18) |
| Copy Features | Scan-Once Print-Many, electronic sorting, offset-stacking, | | Internet Fax mode: MH/MMR (option) | MX-FN11 | 4K Stacking Finisher |
| | Auto Paper Selection (APS), Auto Magnification Selection (AMS), | Scan Destinations | E-mail, Desktop, FTP, Folder (SMB), USB, Internet fax (option), | MX-FN18 | 4K Saddle Stitch Finisher |
| | Auto Tray Switching (ATS), black-white reversal, blank page | Journ Descritations | Super G3 fax (option) | MX-PNX6B | 3 Hole Punch Unit (MX-FN11/MX-FN18) |
| | | One touch | | | |
| | skip, book copy, book divide, card shot, center erase, centering, | One-touch | Up to 2,000 (combined scan destinations) | AR-SC2 | Staple Cartridge (MX-FN11/MX-FN18) |
| | cover pages, dual page copy, edge erase, image edit, image | Destinations | | MX-TR13N | Right-side Exit Tray Unit |
| | preview, insert pages, job build, job programs, margin shift, | Group Destinations | • | MX-TU12 | Center Exit Tray Unit |
| | mirror image, mixed size original, multi-page enlargement, | Programs | 48 (combined) | MX-PUX1 | XPS Expansion Kit |
| | original count, pamphlet style, proof copy, repeat layout, reserve | Max. Jobs | Up to 100 | | (Requires MX-565XPS1GB) |
| | copy, rotated copy, stamp, stamp custom image, suppress | Network Protocols | TCP/IP and SSL (includes HTTP, SMTP, LDAP, FTP, POP3), SMB, | MX-565XPS1GB | 1GB Memory Upgrade |
| | background, tab copy, tab-paper insertion, tandem copy, toner | | ESMTP and 802.1x | | (Required for MX-PUX1) |
| | save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / | Network Security | E-mail server user authentication for LDAP and Active Directory | MX-FX11 | Fax Expansion Kit |
| | 8-in-1 multi shot | Software | Sharpdesk® desktop personal document management software | MX-FWX1 | Internet Fax Kit |
| Account Control | Up to 1,000 users. Supports user-number authentication, login | SULLITATIO | (1 user license included), Sharpdesk Mobile (download) | MX-PF10 | Bar Code Font Kit |
| ACCOUNT CONTROL | | | (1 doct notified included), orial puesk Mobile (download) | | |
| 0.11. | name/password or login name/LDAP password | BOW 0 00 = | Wh (| AR-SU1 | Stamp Unit |
| Output Tray | Main output tray (top): 400 sheets (face down); optional right | B&W Super G3 Fax | | AR-SV1 | Stamp Cartridge |
| Capacity | side exit tray: 100 sheets (face down) | Transmission Mode | | | (Requires AR-SU1 Stamp Unit) |
| Firmware | Flash ROM with local (USB), network update capability and firmware | Modem Speed | 33.6 KBPS ³ | MX-EB11 | Compact PDF Kit |
| | update 1 to N with SRDM (Sharp Remote Device Manager) | Compression | JBIG, MMR, MR, MH | MX-EB12N | Mirror Expansion Kit |
| Management | Web-based management/cloning with user/administrator level login | Methods | | MX-AM10 | Web Browsing Expansion Kit |
| | | Scanning Method | Sheet fed simplex or duplex or book | | (Standard on the MX-M565N) |
| Device Setup | Remote front panel, remote access to service logs and click counts | J | 400 dpi | MX-AMX1 | Application Integration Module |
| Device Setup Service/Functions | | Max. Resolution | | | Commercial Data Security Kit |
| Device Setup Service/Functions Accessibility | Tilt front panel, adjustment of key touch sound and speed, | Max. Resolution | Annroy 2 seconds with Super G2/IRIG4 | | |
| Device Setup Service/Functions Accessibility | Tilt front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, | Transmit Speed | Approx. 2 seconds with Super G3/JBIG4 | MX-FR44U | |
| Device Setup Service/Functions Accessibility | Tilt front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and | Transmit Speed Auto Dialing | Up to 2,000 (combined scan destinations) | MX-EC50 | CAC Reader (Requires Data Security Kit) |
| Device Setup Service/Functions Accessibility Features | Tilt front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout | Transmit Speed Auto Dialing Group Dial | Up to 2,000 (combined scan destinations) Up to 500 destinations | | |
| Device Setup Service/Functions Accessibility Features Environmental | Tilt front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and | Transmit Speed Auto Dialing Group Dial Inbound Fax | Up to 2,000 (combined scan destinations) Up to 500 destinations Forwards received fax data to E-mail, FTP, SMB, Desktop, Fax, | MX-EC50 DVENDFS | CAC Reader (Requires Data Security Kit) |
| Management Device Setup Service/Functions Accessibility Features Environmental Standards | Tilt front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout International Energy Star Program Ver. 2.0, European RoHS | Transmit Speed Auto Dialing Group Dial Inbound Fax Routing | Up to 2,000 (combined scan destinations) Up to 500 destinations | MX-EC50 | CAC Reader (Requires Data Security Kit) Generic Vendor Interface Kit |
| Device Setup Service/Functions Accessibility Features Environmental Standards | Tilt front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout | Transmit Speed Auto Dialing Group Dial Inbound Fax | Up to 2,000 (combined scan destinations) Up to 500 destinations Forwards received fax data to E-mail, FTP, SMB, Desktop, Fax, | MX-EC50 DVENDFS | CAC Reader (Requires Data Security Kit) |
| Device Setup Service/Functions Accessibility Features Environmental Standards Power | Tilt front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout International Energy Star Program Ver. 2.0, European RoHS AC 100-127 VAC, 60 HZ, 12 Amps | Transmit Speed Auto Dialing Group Dial Inbound Fax Routing | Up to 2,000 (combined scan destinations) Up to 500 destinations Forwards received fax data to E-mail, FTP, SMB, Desktop, Fax, I-Fax' | MX-EC50 DVENDFS Supplies | CAC Reader (Requires Data Security Kit) Generic Vendor Interface Kit |
| Device Setup Service/Functions Accessibility Features Environmental Standards Power Power Consumption | Tilt front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout International Energy Star Program Ver. 2.0, European RoHS AC 100-127 VAC, 60 HZ, 12 Amps on 1.44 kW or less | Transmit Speed Auto Dialing Group Dial Inbound Fax Routing Long Originals Programs | Up to 2,000 (combined scan destinations) Up to 500 destinations Forwards received fax data to E-mail, FTP, SMB, Desktop, Fax, I-Fax¹ Up to 33 1/4" (for transmission) 48 (combined) | MX-EC50 DVENDFS Supplies MX-560NT MX-560NV | CAC Reader (Requires Data Security Kit) Generic Vendor Interface Kit Toner Cartridge |
| Device Setup Service/Functions Accessibility Features Environmental | Tilt front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout International Energy Star Program Ver. 2.0, European RoHS AC 100-127 VAC, 60 HZ, 12 Amps | Transmit Speed Auto Dialing Group Dial Inbound Fax Routing Long Originals | Up to 2,000 (combined scan destinations) Up to 500 destinations Forwards received fax data to E-mail, FTP, SMB, Desktop, Fax, I-Fax¹ Up to 33 1/4" (for transmission) | MX-EC50 DVENDFS Supplies MX-560NT | CAC Reader (Requires Data Security Kit) Generic Vendor Interface Kit Toner Cartridge Developer |

¹ Some features require optional equipment. See your local dealer.









SHARP ELECTRONICS CORPORATION 1 Sharp Plaza, Suite 1 Mahwah, NJ 07495-1123 1-800-BE-SHARP • www.sharpusa.com Design and specifications subject to change without notice. Sharp, Sharp OSA, Sharpdesk, My Sharp, and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Windows and Windows Server are trademarks or registered trademarks of Microsoft Corporation. Adobe, PostScript 3 are trademarks or registered trademarks of Adobe Systems Inc. All other trademarks are the property of their respective owners.



² May vary depending on product configuration, machine settings and operating and/or environmental conditions.

³ Actual transmission time will vary based on line conditions.

⁴ Based on Sharp Standard Test Chart with approximately 700